


ФРЕЗЕРОВАНИЕ Фрезы для обработки уступов

Фрезы CoroMill® 490 для обработки прямоугольных уступов

Coromant Capto®

KAPR 90°



Дюймовое исполнение

DC		CZC _{MS}	APMX	CNSC	Код заказа		Размеры, дюйм							CICT	MIID	
DC	DCX						DCON	DCX	LF	LU	Ft/lbs	Lib	RPM			
.750	08	C5	.217	1	2	A490-019C5-08L	1.969	.750	3.000	1.500	0.9	1.26	28000	2	490R-08T308	
	08	C6	.217	1	2	A490-019C6-08L	2.480	.750	3.000	1.500	0.9	1.81	20000	2	490R-08T308	
1.000	08	C5	.217	1	3	A490-025C5-08M	1.969	1.000	3.000	2.015	0.9	1.26	28000	3	490R-08T308	
	08	C6	.217	1	3	A490-025C6-08M	2.480	1.000	3.000	1.937	0.9	1.81	20000	3	490R-08T308	
1.250	08	C5	.217	1	4	A490-032C5-08M	1.969	1.250	3.000	2.015	0.9	1.50	28000	4	490R-08T308	
	08	C6	.217	1	4	A490-032C6-08M	2.480	1.250	3.000	1.937	0.9	1.83	20000	4	490R-08T308	
	08	C8	.217	1	4	A490-032C8-08M	3.150	1.250	3.000	1.622	0.9	3.56	14000	4	490R-08T308	
1.500	08	C5	.217	1	5	A490-038C5-08H	1.969	1.500	3.000	2.015	0.9	1.54	28000	5	490R-08T308	
	08	C6	.217	1	5	A490-038C6-08H	2.480	1.500	3.000	1.937	0.9	1.83	20000	5	490R-08T308	
	08	C8	.217	1	5	A490-038C8-08H	3.150	1.500	3.000	1.622	0.9	3.57	14000	5	490R-08T308	
1.4	08	C5	.394	1	3	A490-038C5-14M	1.969	1.500	3.000	2.015	2.2	1.63	27400	3	490R-1404	
	14	C6	.394	1	3	A490-038C6-14M	2.480	1.500	3.000	1.937	2.2	2.40	20000	3	490R-1404	
	14	C8	.394	1	3	A490-038C8-14M	3.150	1.500	3.000	1.622	2.2	4.51	14000	3	490R-1404	
	08	C5	.217	1	5	A490-051C5-08M	1.969	2.000	3.000		0.9	2.35	25200	5	490R-08T308	
2.000	08	C5	.217	1	7	A490-051C5-08H	1.969	2.000	3.000		0.9	2.34	25200	7	490R-08T308	
	08	C6	.217	1	7	A490-051C6-08H	2.480	2.000	3.000	1.937	0.9	2.86	20000	7	490R-08T308	
	08	C8	.217	1	7	A490-051C8-08H	3.150	2.000	3.000	1.622	0.9	4.84	14000	7	490R-08T308	
	14	C5	.394	1	4	A490-051C5-14M	1.969	2.000	3.000		2.2	2.24	13600	4	490R-1404	
	14	C5	.394	1	5	A490-051C5-14H	1.969	2.000	3.000		2.2	2.24	22200	5	490R-1404	
	14	C6	.394	1	4	A490-051C6-14M	2.480	2.000	3.000	1.937	2.2	2.97	13600	4	490R-1404	
	14	C6	.394	1	5	A490-051C6-14H	2.480	2.000	3.000	1.937	2.2	2.97	20000	5	490R-1404	
	14	C8	.394	1	5	A490-051C8-14H	3.150	2.000	3.000	1.622	2.2	5.02	14000	5	490R-1404	
	2.500	08	C6	.217	1	6	A490-063C6-08M	2.480	2.500	2.000		0.9	2.34	20000	6	490R-08T308
		08	C6	.217	1	8	A490-063C6-08H	2.480	2.500	2.000		0.9	2.34	20000	8	490R-08T308
08		C8	.217	1	8	A490-063C8-08H	3.150	2.500	3.000	1.622	0.9	4.84	14000	8	490R-08T308	
14		C6	.394	1	5	A490-063C6-14M	2.480	2.500	2.500		2.2	3.17	11700	5	490R-1404	
14		C6	.394	1	6	A490-063C6-14H	2.480	2.500	2.500		2.2	3.17	11700	6	490R-1404	
14		C8	.394	1	6	A490-063C8-14H	3.150	2.500	3.000	1.622	2.2	5.61	11700	6	490R-1404	
3.000	08	C8	.217	1	10	A490-076C8-08H	3.150	3.000	2.500	1.122	0.9	4.84	14000	10	490R-08T308	
	14	C8	.394	1	6	A490-076C8-14M	3.150	3.000	3.000	1.622	2.2	6.47	10400	6	490R-1404	
	14	C8	.394	1	7	A490-076C8-14H	3.150	3.000	3.000	1.622	2.2	6.47	10400	7	490R-1404	

